Sonus faber

ancleon

WHAT'S your mood?

Handmade in Italy - Interchangeable side panels - High performance value

## A REAL GAME CHANGER





Sonus faber

With the Chameleon speaker collection, Sonus faber brings all the iconic elements that the Vicenza based company is known for to a wider, contemporary audience.

Innovative style and design, quality of sound and a "handmade in Italy" craftsmanship approach to construction – these are the main features of this collection that is offered in a new price range with the usual Sonus faber level of excellence.

Chameleon embodies all of the iconic design elements of Sonus faber while offering a level of customization previously unattainable in this market segment: the entire cabinet is covered in leather; driver flanges are embellished with aluminum trims; the side walls house the exchangeable side panels via a system of pins which allows for their simple removal and replacement.

Thanks to this design, choosing the finish is no longer a permanent decision. Instead it becomes something that identifies the speaker, something that can evolve together with customer's taste. Owners of the Sonus faber Chameleon will have the freedom to select the most suitable style for their environment and interior design!

For the Chameleon collection, Sonus faber's designers have developed cabinet shapes and proportions that guarantee exceptional control of internal resonance, perfect acoustics, excellent driver stability and easy integration into rooms. All the driver components are built exclusively for Sonus faber by the foremost manufacturers in the field. Other special treatments during assembly put the finishing touches on the drivers before being sent to the production line. Extreme care is taken in the design of the crossover network to maintain Sonus faber's standards of excellence. Specialized software used in the development of the Chameleon collection has allowed Sonus faber to design these speakers to exacting specifications. Final listening tests and 'tuning by ear'

instill emotion and humanity into the final listening experience.

The three speakers that make up the Sonus faber Chameleon collection offer optimal solutions for both stereo music lovers as well as for those who want to create a multichannel home theater system.

A floor-standing model, a bookshelf speaker, and a center channel provide a range of combinations that are well-suited to any environment, from the largest living room to the most intimate listening room.

Sonus faber haneleon 0 O ų, Å ¥ Ĭ A

Sonus faber eleon C.

Sonus faber eleon T.

Sonus faber Chameleon side panels are available in 6 different finishes: WHITE, BLACK, METAL BLUE, METAL GREY, ORANGE, RED.

Sonus faber

sonus faber Lancleon B.

To stay up-to-date on all the new finishes that will be released in the upcoming months, visit our website www.sonusfaber.com.

The Chameleon will be available from Sonus faber dealers and distributors in April.

Sonus faber Chanelern

## **DATA SHEET**

	Chameleon B	Chameleon T	Chameleon C
Loudspeaker System	2 way bookshelf vented box	3 way floorstanding vented box	2 way closed box with passive radiator
Tweeter	29 mm high definition precoated fabric dome driver with no ferrofluid. Sonus faber design.		
Midrange		1x150 mm. Free compression basket design and thermo- mouldered polypropylene cone (PP). Ultra dynamic performance and linearity. Sonus faber design.	
Midwoofer	1x150 mm. Free compression basket design and PP cone. Ultra dynamic performance and linearity. Sonus faber design.		1x150 mm. Free compression basket design and PP cone. Ultra dynamic performance and linearity.Sonus faber design.
Woofer		2x180 mm. Free compression basket design and PP cone. Ultra dynamic performance and linearity. Sonus faber design.	
Passive radiator			1x150 mm. Free compression basket design and PP cone. Sonus faber design.
Crossover point	2.500 Hz	250 Hz - 2.500 Hz	2.000 Hz
Frequency Response	50 Hz – 25.000 Hz	38 Hz – 25.000 Hz	50 Hz – 25.000 Hz
Sensitivity (2.831V/1m)	87 dB SPL	90 dB SPL	87 dB SPL
Nominal impedance	4 Ohm	4 Ohm	4 Ohm
Suggested amplifier power output	30W – 150W without clipping	40W – 300W without clipping	30W – 150W without clipping
Long-term max input voltage	20V rms	22V rms	20V rms
(IEC-268-5) Dimension			
(HxWxD)	315,5 x 185 x 283 mm	1060,3 x 270 x 355 mm	199 x 540 x 228 mm
Optional stand (HxWxD)	725 x 306 x 370 mm	-	-
Total dimension	1040,5 x 306 x 370 mm	1060,3 x 270 x 355 mm	199 x 540 x 228 mm
Weight	6,7 Kg each	24,5 Kg each	8,1 Kg

Sonus faber Chaveler

